

L Number	Hits	Search Text	DB	Time stamp
-	48	(print\$3) near6 ((test or calibrat\$3) adj2 (chart or sheet or profile or palette)) and relationship and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls or 702/\$.ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 13:07
-	49	(print\$3) near6 ((test or calibrat\$3) adj2 (chart or sheet or profile or palette)) and (relationship or (compar\$4 adj3 level)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls or 702/\$.ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 15:34
-	1	((print\$3) near6 ((test or calibrat\$3) adj2 (chart or sheet or profile or palette)) and (relationship or (compar\$4 adj3 level)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls or 702/\$.ccls)) not ((print\$3) near6 ((test or calibrat\$3) adj2 (chart or sheet or profile or palette)) and relationship and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls or 702/\$.ccls))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 15:32
-	4	((print\$3) near6 ((test or calibrat\$3) adj2 (chart or sheet or profile or palette)) and (relationship or (compar\$4 adj4 (level or densit\$3))) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls or 702/\$.ccls)) not ((print\$3) near6 ((test or calibrat\$3) adj2 (chart or sheet or profile or palette)) and (relationship or (compar\$4 adj3 level)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls or 702/\$.ccls))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 15:35
-	53	(print\$3) near6 ((test or calibrat\$3) adj2 (chart or sheet or profile or palette)) and (relationship or (compar\$4 adj4 (level or densit\$3))) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls or 702/\$.ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 15:45
-	71	(print\$3 or generat\$3) near6 ((test or calibrat\$3) adj2 (chart or sheet or profile or palette)) and (relationship or (compar\$4 adj4 (level or densit\$3))) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls or 702/\$.ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 13:21
-	13	(print\$3) with ((test or calibrat\$3) with (chart or sheet or profile or palette)) same (relationship or (compar\$4 adj3 level)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls or 702/\$.ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 10:30
-	12	(6141120.in. and (store with data) or (store with profile) and printer and Splash)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:26
-	13	(print\$3) with ((test or calibrat\$3) with (chart or sheet or profile or palette)) same (relationship or (compar\$4 adj3 level)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls or 702/\$.ccls or 710/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:29
-	649	(print\$3) with ((test or calibrat\$3) with (chart or sheet or profile or palette)) same (relationship or (compar\$4 adj3 level)) and (store with data) or (store with profile) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls or 702/\$.ccls or 710/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:30
-	19	(print\$3) with ((test or calibrat\$3) with (chart or sheet or profile or palette)) same (relationship or (compar\$4 adj3 level)) and (store with data) or (store with profile) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls or 702/\$.ccls or 710/\$.ccls.) and Falk	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:35

-	19	print\$3 with ((test or calibrat\$3) with (chart or sheet or profile or palette)) same (relationship or (compar\$4 adj3 level)) and (store with data) or (store with profile) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls. or 710/\$.ccls.) and Falk	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:37
-	19	print\$3 with ((test or calibrat\$3) with (chart or sheet or profile or palette)) same (relationship or (compar\$4 adj3 level)) and (store near6 data) or (store near6 profile) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls. or 710/\$.ccls.) and Falk	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:38
-	2	condition adj1 preparing adj1 unit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:41
-	13	condition adj1 prepar\$6 adj1 unit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:42
-	22	(print\$3) near6 ((test or calibrat\$3) adj2 (chart or sheet or profile or palette)) same (data or information) and relationship and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 13:20
-	43	(print\$3) near6 ((test or calibrat\$3) adj2 (chart or sheet or profile or palette)) same (memory or data or information) and (compar\$4 or relationship) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 13:25
-	9	((compar\$4 or relationship) same (print\$3) near6 ((test or calibrat\$3) adj2 (chart or sheet or profile or palette)) same (memory or data or information)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 13:28
-	9	((compar\$4 or relationship) same (print\$3) near6 ((test or calibrat\$3) adj2 (chart or sheet or profile or palette)) same (stor\$2 or memory or data or information)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 13:34
-	1	(compar\$4 same (test adj2 chart adj2 data) same (memory or stor\$2)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 13:38
-	1	(print\$3 with (test adj2 chart adj2 data)) same ((compar\$4 with (data or information) and (memory or stor\$2))) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 13:46
-	1	(print\$3 near11 (test adj2 chart adj2 data)) same ((compar\$4 with (data or information) and (memory or stor\$2))) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 13:47
-	1	(print\$3 near11 (test adj2 chart adj2 data)) same ((compar\$4 with (data or information) and (memory or stor\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 13:48
-	32	(print\$3 near11 (test adj2 (chart or sheet or profile or palette))) same ((compar\$4 with (data or information) and (memory or stor\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 15:14

-	7	((print\$3 near11 (test or calibrat\$3) adj2 (chart or sheet or profile or palette))) same ((compar\$4 with (data or information) and (memory or stor\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 09:28
-	24	(condition adj1 prepar\$6 adj1 (unit or device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 09:21
-	27	((print\$3 near11 (test or calibrat\$3) adj2 (chart or sheet or pattern or profile or palette))) same ((compar\$4 with (data or information) and (memory or stor\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 09:36
-	24	((print\$3 near11 (test or calibrat\$3) adj3 pattern)) same ((compar\$4 with (data or information) and (memory or stor\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 10:35
-	4	((print\$3 near11 (test or calibrat\$3) adj3 pattern)) same ((compar\$4 with (data or information) and (memory or stor\$2))) and tone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 11:52
-	11	((print\$3 with (test or calibrat\$3) adj3 pattern)) same ((compar\$4 with (data or information) and (memory or stor\$2))) and tone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 11:52
-	46	(print\$3) with ((test or calibrat\$3) with (chart or sheet or pattern or profile or palette)) same (relationship or (compar\$4 adj3 level)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 12:08
-	265	(print\$3) near13 ((test or calibrat\$3) with (chart or sheet or pattern or profile or palette or patch)) same (relationship or compar\$4) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 12:11
-	122	(print\$3) near13 ((test or calibrat\$3) with (chart or sheet or pattern or profile or palette or patch)) near25 (relationship or compar\$4) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 12:20
-	27	CMYK and ((print\$3) near13 ((test or calibrat\$3) with (chart or sheet or pattern or profile or palette or patch)) near25 (relationship or compar\$4)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 12:23
-	24	CMYK and memory and ((print\$3) near13 ((test or calibrat\$3) with (chart or sheet or pattern or profile or palette or patch)) near25 (relationship or compar\$4)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 13:44
-	40	CMYK and memory and (((test or calibrat\$3) with (chart or sheet or pattern or profile or palette or patch)) near25 (relationship or compar\$4)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 14:04

-	21	CMYK and memory and (((test or calibrat\$3) with (chart or sheet or pattern or profile or palette or patch)) near25 (data with (relationship or compar\$4))) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 14:06
-	638	(produc\$4 or output or print\$3 or generat\$3) near6 ((test or calibrat\$3) adj2 (chart or sheet or pattern or profile or palette)) and (relationship or (compar\$4 adj4 (level or densit\$3))) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 13:53
-	78	(test with (chart or sheet or pattern or profile or palette)) same (compar\$4 with (store\$2 or memory) with (data or information)) and calibrat\$4 and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 14:28
-	11	(test with (chart or sheet or pattern or profile or palette)) and ((store\$2 or memory) with (test adj1 patch)) and calibrat\$4 and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 14:31
-	10	(test with (chart or sheet or pattern or profile or palette)) same ((store\$2 or memory) with (test adj1 patch)) and calibrat\$4 and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 14:34
-	34	((test or calibrat\$3) with (chart or sheet or pattern or profile or palette)) same ((store\$2 or memory) with (data or information)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.) and (printer adj2 (characteristic or setting))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:37
-	36	((test or calibrat\$3) with (chart or sheet or patch or pattern or profile or palette)) same ((store\$2 or memory) with (data or information)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.) and (printer adj2 (characteristic or setting))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:38
-	40	((test or calibrat\$3) with (chart or sheet or patch or pattern or profile or palette or page)) same ((store\$2 or memory) with (data or information)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.) and (printer adj2 (characteristic or setting))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:51
-	31	((test or calibrat\$3) adj3 (chart or sheet or patch or pattern or profile or palette or page)) same ((store\$2 or memory) with (data or information)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.) and (printer adj2 (characteristic or setting))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:51
-	30	((test or calibrat\$3) adj2 (chart or sheet or patch or pattern or profile or palette or page)) same ((store\$2 or memory) with (data or information)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.) and (printer adj2 (characteristic or setting))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 10:23

-	6	((test or calibrat\$3) adj2 (chart or sheet or patch or pattern or profile or palette or page)) same ((store\$2 or memory) with (data or information)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.) and (small\$3 with density with difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 10:25
-	26	(print\$3) with (color adj2 patches) same (relationship or (compar\$4 adj3 level)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 12:57
-	33	(compar\$4 or relation\$4) with (color adj2 patches) same (data or information) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 13:08
-	28	(compar\$4 or relation\$4) with (color adj2 patches) same (data or information) and (calibrat\$3 or correct\$3) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 13:14
-	2	4500919.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 11:57
-	84	Shimazaki.in. and (calibrat\$3 or correct\$3) same (test or reference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 12:06
-	5171	(calibrat\$3 or correct\$3) same (test or reference) adj2 (sheet or chart or profile or patch or page or palette or pattern) and (compar\$4 or judg\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 12:29
-	1	"5809213".PN.	USPAT	2004/01/30 12:18
-	433	(calibrat\$3 or correct\$3) same (test or reference) adj2 (sheet or chart or profile or patch or page or palette or pattern) and (compar\$4 or judg\$3) and (tone or chroma) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 12:33
-	489	(measur\$3) with ((color or test) adj1 patches) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:54
-	371	(calibrat\$3 or correct\$3) and ((measur\$3) with ((color or test) adj1 patches)) and (data and stor\$3 or memory) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:56
-	21	tone and (calibrat\$3 or correct\$3) and ((measur\$3) with ((color or test) adj1 patches)) and (compare same (data and (stor\$3 or memory))) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:05
-	21	tone and (calibrat\$3 or correct\$3) and ((measur\$3) with ((color or test) adj1 patch)) and (compare same (data and (stor\$3 or memory))) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:06

-	21	tone and (calibrat\$3 or correct\$3) and ((measur\$3) with ((color or test) adj1 patch)) and (compare same (data and (stor\$3 or memory))and patch) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 11:47
-	1	tone and (calibrat\$3 or correct\$3) and ((measur\$3) with ((color or test) adj1 patch)) same (compare same (data and (stor\$3 or memory))and patch) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 11:47
-	3	tone and (calibrat\$3 or correct\$3) and ((measur\$3) with ((color or test) adj1 patch)) same (compare same data) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 13:53
-	92	tone and (calibrat\$3 or correct\$3) and ((measur\$3) with ((color or test) adj2 (patch or pattern))) and (compar\$3 with data) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:03
-	8	tone and (calibrat\$3 or correct\$3) and (compar\$3 with measur\$3 with (color or test) adj2 (patch or pattern) same data) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:24
-	2	5884118.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:24
-	35	(smallest or lowest) adj3 (tone or color) adj3 (measurement or difference) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:23
-	182	(characteristic or condition) adj3 (setting) adj3 (unit or device or apparatus) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:25
-	25	(characteristic or condition) adj3 (setting) adj3 (unit or device or apparatus) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 702/\$.ccls.) and print and tone and (correct\$3 or calibrat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:26
-	15	tone and (calibrat\$3 or correct\$3) and ((compar\$3) with ((color or test) adj1 patch)) and (compare same (data and (stor\$3 or memory))and patch) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 11:51
-	40	tone and (calibrat\$3 or correct\$3) and ((compar\$3) with ((color or test) adj1 (patch or palette or pallet))) and (compar\$4 with (data and (stor\$3 or memory))and (patch or palette or pallet)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 11:55
-	1044	((conver\$4 adj2 image) adj2 data) with (print or (output adj1 device) or (image adj form\$6)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:54
-	333	tone and ((conver\$4 adj2 image) adj2 data) with (print or (output adj1 device) or (image adj form\$6)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:55

-	334	tone and ((conver\$4 adj2 (original or image)) adj2 data) with (print or (output adj1 device) or (image adj form\$6)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:58
-	49	tone same ((conver\$4 adj2 (original or image)) adj2 data) with (print or (output adj1 device) or (image adj form\$6)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 12:00
-	65	((conver\$4 adj5 (original or image) adj3 (tone or color) adj3 (data or information)) same (input or image) adj3 (tone or color) adj3 (data or information)) and (print or (output adj1 device) or (image adj form\$6)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 12:04
-	65	((conver\$4 adj5 (original or image) adj3 (tone or color) adj3 (data or information)) with (input or image) adj3 (tone or color) adj3 (data or information)) and (print or (output adj1 device) or (image adj form\$6)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 12:06
-	73	((conver\$4 adj5 (original or image) adj3 (tone or color) adj3 (data or information)) with (input or image) adj3 (tone or color) adj3 (data or information)) and (print\$3 or (output adj1 device) or (image adj form\$6)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 12:06
-	20	((conver\$4 adj5 (original or image) adj3 (tone or color) adj3 (data or information)) with (input or image) adj3 (tone or color) adj3 (data or information)) same (print\$3 or (output adj1 device) or (image adj form\$6)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 12:14
-	0	((conver\$4 adj5 (original or image) adj3 (tone or color) adj3 (data or information) adj2 to) with (input or image) adj3 (tone or color) adj3 (data or information)) same (print\$3 or (output adj1 device) or (image adj form\$6)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 12:16
-	0	((conver\$4 adj5 (original or image) adj3 (tone or color) adj3 (data or information) adj2 to) same (input or image) adj3 (tone or color) adj3 (data or information)) same (print\$3 or (output adj1 device) or (image adj form\$6)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 12:17
-	0	((conver\$4 adj3 (tone or color) adj3 (data or information) adj2 to) same (input or image) adj3 (tone or color) adj3 (data or information)) same (print\$3 or (output adj1 device) or (image adj form\$6)) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 12:18

-	63	tone near4 (conversion or convert\$3) adj3 (unit or device) and (358/\$.ccls. or 382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 399/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 12:19
---	----	---	---	------------------